



251W 350W 48V Rear Drive E Bike Conversion Kit For Cassette And Rotate Motor

Our Product Introduction

Basic Information

- Place of Origin: Zhejiang, China
- Brand Name: OEM
- Certification: ce
- Model Number: TH-035 e bike conversion kit
- Minimum Order Quantity: 2 pieces
- Price: \$340.00/pieces 2-49 pieces
- Packaging Details: E bike conversion kit packing: Export standard (Carton/Carton board/Foam/Foam bag)
- Supply Ability: 5000 Piece/Pieces per Month



Product Specification

- Range Per Power: 31 - 60 Km
- Frame Material: Aluminum Alloy
- Wheel Size: 16" 20" 24" 26" 27.5" 700C(28")
- Wattage: 251 - 350W
- Max Speed: 25-45KM/hour Optional, 25-45KM/hour Optional
- Voltage: 48V
- Power Supply: Lithium Battery
- Motor: Brushless
- Foldable: NO
- Product Name: E Bike Conversion Kit
- Battery: 48V 8A/10AH Lithium Battery
- Brake: Disc/V/oil Brake Both Fit
- Color: Black/silver
- Display: LCD Optional



More Images



for more products please visit us on electricbike-scooter.com

Product Description

251 350W Wattage Aluminum Alloy Frame 48V Rear Drive E Bike Conversion Kit For Casette And Rotate Motor

48V Rear Drive E Bike Conversion Kit For Casette And Rotate Motor

Advantage of our e bike conversion kit

1. 48V strong power, 350W motor.
2. Rear motor more stable and safety(cassette motor/rotate motor both can be chose).
3. LCD SW900 displayer optional.
4. 48V 8AH/12AH high-capacity li-ion kettle battery. long range.
5. Price very competitive.

E Bike Conversion Kit has 8 different configuration

1. Model: TH-004-1(48V 350W rear rotation motor without displayer)



SPECIFICATION FOR TH-004-1

Motor	48V 350W rear rotation motor	Controller	48V 14A
Motor axle length	135 MM(bike rear fork length 135MM)	Battery	48V 8Ah kettle battery
Throttle	Thumb throttle with battery indicator	Distance/charge	Around 30KM
Pedal assist	15 magnet	Brake Machine	Brake outage sensor
Charger standard	EU/USA standard(optional)	Controller box	Include

2. Model: TH-004-2(48V 350W rear rotation motor with SW 900 LCD displayer)

TH-004-2



SPECIFICATION FOR TH-004-2

Motor	48V 350W rear rotation motor	Controller	48V 14A
Motor axle length	135 MM(bike rear fork length 135MM)	Battery	48V 8Ah kettle battery
Throttle	Thumb throttle	Distance/charge	Around 30KM
Pedal assist	15 magnet	Brake Machine	Brake outage sensor
Charger standard	EU/USA standard(optional)	Displayer	LCD SW 900 (big screen)

3. Model: TH-004-3(48V 350W rear cassette motor without displayer)

TH-004-3



SPECIFICATION FOR TH-004-3			
Motor	48V 350W rear cassette motor	Controller	48V 14A
Motor axle length	135 MM(bike rear fork length 135MM)	Battery	48V 8Ah kettle battery
Throttle	Thumb throttle with battery indicator	Distance/charge	Around 30KM
Pedal assist	15 magnet	Brake Machine	Brake outage sensor
Charger standard	EU/USA standard(optional)	Controller box	Include

4. Model: TH-004-4(48V 350W rear cassette motor with SW-900 LCD displayer)

TH-004-4



SPECIFICATION TH-004-4			
Motor	48V 350W rear cassette motor	Controller	48V 14A
Motor axle length	135 MM(bike rear fork length 135MM)	Battery	48V 8Ah kettle battery
Throttle	Thumb throttle	Distance/charge	Around 30KM
Pedal assist	15 magnet	Brake Machine	Brake outage sensor
Charger standard	EU/USA standard(optional)	Displayer	LCD SW 900 (big screen)

5. Model: TH-004-5(48V 350W rear rotation motor without displayer)

TH-004-5



SPECIFICATION FOR TH-004-5			
Motor	48V 350W rear rotation motor	Controller	48V 14A
Motor axle length	135 MM(bike rear fork length 135MM)	Battery	48V 12Ah kettle battery
Throttle	Thumb throttle with battery indicator	Distance/charge	Around 45-55KM
Pedal assist	15 magnet	Brake Machine	Brake outage sensor
Charger standard	EU/USA standard(optional)	Controller box	Include

6. Model: TH-004-6(48V 350W rear rotation motor with SW-900 LCD displayer)

TH-004-6



48V 350W rear rotation motor with rim



LCD SW-900



Controller box



Controller

Thumb throttle



Brake outage sensor



48V 12AH li-ion battery



PAS



charger

SPECIFICATION FOR TH-004-6

Motor	48V 350W rear rotation motor	Controller	48V 14A
Motor axle length	135 MM(bike rear fork length 135MM)	Battery	48V 12Ah kettle battery
Throttle	Thumb throttle	Distance/charge	Around 45-55KM
Pedal assist	15 magnet	Brake Machine	Brake outage sensor
Charger standard	EU/USA standard(optional)	Displayer	LCD SW 900 (big screen)

7. Model: TH-004-7(48V 350W rear cassette motor without displayer)

TH-004-7



SPECIFICATION FOR TH-004-7			
Motor	48V 350W rear cassette motor	Controller	48V 14A
Motor axle length	135 MM(bike rear fork length 135MM)	Battery	48V 12Ah kettle battery
Throttle	Thumb throttle with battery indicator	Distance/charge	Around 45-55KM
Pedal assist	15 magnet	Brake Machine	Brake outage sensor
Charger standard	EU/USA standard(optional)	Controller box	Include

8. Model: TH-004-8(48V 350W rear cassette motor with SW-900 LCD displayer)

TH-004-8



SPECIFICATION FOR TH-004-8

Motor	48V 350W rear cassette motor	Controller	48V 14A
Motor axle length	135 MM(bike rear fork length 135MM)	Battery	48V 12Ah kettle battery
Throttle	Thumb throttle	Distance/charge	Around 45-55KM
Pedal assist	15 magnet	Brake Machine	Brake outage sensor
Charger standard	EU/USA standard(optional)	Displayer	LCD SW900 (big screen)


LCD SW 900

LCD SW 900

Advantage:

1. With all indicator: speed, mileage, battery power, pedal assist power, voltage etc.
2. Make the Pedal assist has 5 different level, makes the pedal assist work like torque sensor
3. Extra function optional: 6 KM boost, Cruise function etc.

SW900



Motor

Motor: 48V 350W rear motor

- * 48V 350W Strong power, big torque
- * Light weight, Volume small
- * Silent, smooth,



cassette motor

Cassette/Rotate motor Optional



High quality motor



Rotate motor

Controller

48V 14A controller



Size
81*50*30 MM

Controller size

Battery

Battery information



48V 8AH

Size: 320*Ø95



48V 12AH

Size: 360*135*80



Brake&PAS&Notice

Brake outage handle bar or brake outage sensor choose one is ok



Pedal assist: install on the left side of the crank, use some AB glue to fix it if possible.



Sample of our kit install on customer's bike





Huzhou Thunder Electric Bike Co., Ltd.

+86-571-86103517

info@thunderebike.cn

electricbike-scooter.com

No.103 Hengtang Road, Yuyue Town, Deqing, Huzhou 313213, Zhejiang province, P.R. China